



Micro Instruments Solid Performance – Outstanding Precision

STILLE offers the highest quality handmade instruments for the world's best surgeons

The line of STILLE Micro Instruments includes a wide range of stainless steel and titanium patterns. Our instruments provide the surgeon with the fingertip feel, perfect balance and reliability they expect during long and difficult cases. STILLE enhances your investment in quality by providing you with a 30-year instrument warranty.

STILLE MICRO SCISSORS

The STILLE Micro scissors consist of both straight and curved models in different lengths, blade sizes and angles. All models are made with the original STILLE Supercut blades for consistent cutting performance in soft tissue.

Our joint screw design allows for easy removal during instrument service and repair. After service, the instrument will perform with the same feel and reliability you come to expect from a STILLE instrument.

STILLE MICRO FORCEPS

All STILLE Micro Forceps are designed to give the same feel and balance as our standard line of forceps. Our attention to detail by our skilled artisans in Sweden, combines both perfect spring tension and tip alignment for reliable grasping of tissue.


They are available in Titanium or stainless steel that include tying platform, 1x2 teeth, ring tips and DeBakey. The tips are available in stainless steel or STILLE Diamond jaws for added durability.

STILLE MICRO NEEDLE HOLDERS

The STILLE Micro Needle Holders are designed to hold the finest sutures in a tight and secure grip. Only minimal pressure will need to be applied by surgeon's fingers.

All models are made with STILLE Diamond Jaws and the heavier models with TC-inserts. They can be delivered as straight or curved, with or without ratchet and in several different lengths. Regular box lock for 7–0 sutures and finer, Streamline box lock for 5–0 sutures and finer. (heavy models for 2–0 to 4–0).





The edges, spring unit, pivot and grip are designed to prevent glove damage



Micro Instruments

(Starley

IN STAINLESS STEEL AND TITANIUM

8 Micro Scissors in Stainless Steel

- 10 Micro Forceps in Stainless Steel
- **13** Micro Forceps in Titanium
- Micro Needle Holders in Stainless Steel 15
- **18** Micro Needle Holders in Titanium

STILLE TITANIUM MICRO INSTRUMENTS

Titanium is a non-magnetic metal that offers the surgeon a lighter, stronger instrument alternative. It minimizes the frustration over magnetized needles and is very resistant to corrosion. That provides you with an excellent long-term investment in quality.

STILLE Titanium Forceps and Needle Holders are clearly distinguishable by our blue coated round handles. The forceps (except for DeBakey models) and needle holders are all equipped with STILLE Diamond Jaws coating for improved durability and proper gripping of fine sutures.

STILLE Titanium Instruments come from only the finest, U.S. origin alloy(Ti6Al4V). The end result is improved durability and better fracture toughness than other titanium options.



STILLE SUPERCUT MICRO SCISSORS

Round handle, STILLE original 14 mm SuperCut blades.

ART. NUMBER	TIPS	BLADES	LENGTH	
117-A110-15	Sharp	Straight	15 cm 6"	•/•
		9		•
117-A110-18	Sharp	Straight	18 cm 7"	•
117-A110-21	Sharp	Straight	21 cm 8.25"	•
117-A111-15	Blunt	Curved	15 cm 6"	•
117-A111-18	Blunt	Curved	18 cm 7"	•
117-A111-21	Blunt	Curved	21 cm 8.25"	•
117-A112-15	Blunt	Straight	15 cm 6"	•
117-A112-18	Blunt	Straight	18 cm 7"	•
117-A112-21	Blunt	Straight	21 cm 8.25"	•
117-A113-15	Sharp	Curved	15 cm 6"	•
117-A113-18	Sharp	Curved	18 cm 7"	•
117-A113-21	Sharp	Curved	21 cm 8.25"	•

Art. Number: 117-A110-18

STILLE SUPERCUT MICRO VASCULAR SCISSORS

Round handle, STILLE original fine 11 mm SuperCut blades.

ART. NUMBER	ANGLED	LENGTH	V/
117-A120-25	25°	18 cm 7"	•
117-A120-45	45°	18 cm 7"	•
117-A120-60	60°	18 cm 7"	•
117-A120-90	90°	18 cm 7"	•
117-A120-125	125°	18 cm 7"	•
117-A121-25	25°	21 cm 8.25"	•
117-A121-45	45°	21 cm 8.25"	•
117-A121-60	60°	21 cm 8.25"	•
117-A121-90	90°	21 cm 8.25"	•
117-A121-125	125°	21 cm 8.25"	•



ART. NUMBER 117-A125-117-A125-117-A125-117-A125-117-A125-

Art. Number: 117-A125-60

STILLE stands for impeccable quality, they're dependable and the durability is just outstanding.

- Dr. Mark L. Jewell, M.D. Plastic Surgeon

Art. Number: 117-A120-45

| 9

STILLE SUPERCUT FINE MICRO VASCULAR SCISSORS

Round handle, STILLE original extra fine 7.5 mm SuperCut blades.

	ANGLED	LENGTH	
25	25°	18 cm 7"	•
45	45°	18 cm 7"	•
-60	60°	18 cm 7"	•
90	90°	18 cm 7"	•
125	125°	18 cm 7"	•

STILLE MICRO FORCEPS

Well balanced and ergonomic micro forceps of ultra high quality. With tying platform and 0.4 mm tips.

ART. NUMBER	JAWS	LENGTH
117-B110-15	Straight	15 cm 6"
117-B110-18	Straight	18 cm 7"
117-B110-21	Straight	21 cm 8.25"
117-B110-23	Straight	23 cm 9"
117-B111-15	Curved	15 cm 6"
117-B111-18	Curved	18 cm 7"
117-B111-21	Curved	21 cm 8.25"

STILLE DIAMOND JAWS COUNTER-BALANCED MICRO FORCEPS

Micro forceps with Diamond Jaws and Counter-balance. 0.4 mm tips.

ART. NUMBER	JAWS	LENGTH
117-B130-18	Straight	18 cm 7"
117-B130-21	Straight	21 cm 8.25"
117-B130-23	Straight	23 cm 9″
117-B131-18	Curved	18 cm 7"
117-B131-21	Curved	21 cm 8.25"



Art. Number: 117-B110-18

STILLE DIAMOND JAWS MICRO FORCEPS

Fine micro forceps, with Diamond Jaws, for increased tip durability and secure grip of fine needles. 0.4 mm tips.

ART. NUMBER	JAWS	LENGTH	\bigcirc
117-B120-15	Straight	15 cm 6"	•
117-B120-18	Straight	18 cm 7"	•
117-B120-21	Straight	21 cm 8.25"	•
117-B120-23	Straight	23 cm 9"	•
117-B121-15	Curved	15 cm 6"	•
117-B121-18	Curved	18 cm 7"	•
117-B121-21	Curved	21 cm 8.25"	•

STULE

Art. Number: 117–B121–15

Art. Number: 117-B130-18

STILLE MICRO RING FORCEPS

Counter-balanced micro forceps with fine 1.0×0.5 mm Diamond Jaws ring tips.

ART. NUMBER	RING TIPS	JAWS
117-B140-18	1.0x0.5 mm	Straight
117-B140-21	1.0x0.5 mm	Straight
117-B140-23	1.0x0.5 mm	Straight

Art. Number: 117–B140–18



1 • ٠

LENGTH	T
18 cm 7"	•
21 cm 8.25"	•
23 cm 9"	•

STILLE (E

STILLE MICRO TISSUE FORCEPS

Round handle, with 1×2 fine teeth on 0.4 mm tips.

ART. NUMBER	TEETH	JAWS	LENGTH
117-B150-15	1x2	Straight	15 cm 6"
117-B150-18	1x2	Straight	18 cm 7″
117-B150-21	1x2	Straight	21 cm 8.25"

Art. Number: 117-B150-15

STILLE MICRO DEBAKEY FORCEPS

Micro forceps with round handle and 1.2 mm fine atraumatic DeBakey tips.

ART. NUMBER	TIPS	JAWS	LENGTH
117-B160-18	1.2 mm Debakey	Straight	18 cm 7"
117-B160-21	1.2 mm Debakey	Straight	21 cm 8.25"



Art. Number: 117-B160-18

STILLE MICRO DEBAKEY COUNTER-BALANCED FORCEPS

Counter-balanced micro forceps with round handle and 1.2 mm fine atraumatic DeBakey tips.

ART. NUMBER	TIPS	JAWS	LENGTH
117-B165-18	1.2 mm Debakey	Straight	18 cm 7"
117-B165-21	1.2 mm Debakey	Straight	21 cm 8.25"



Art. Number: 117-B165-18

STILLE TITANIUM MICRO FORCEPS

Round handle, with tying platform, straight or curved 0.4 mm tips.

ART. NUMBER	JAWS	LENGTH	7
117-B120-18-TI	Straight	18 cm 7″	•
117-B120-21-TI	Straight	21 cm 8.25"	٠
117-B120-23-TI	Straight	23 cm 9"	٠
117-B120-25-TI	Straight	25 cm 10"	•
117-B121-18-TI	Curved	18 cm 7″	•
117-B121-21-TI	Curved	21 cm 8.25"	٠
117-B121-23-TI	Curved	23 cm 9"	٠
117-B121-25-TI	Curved	25 cm 10"	٠

Art. Number: 117-B120-18-TI

STILLE TITANIUM COUNTER-BALANCED MICRO FORCEPS

Round handle, with tying platform, counter-balanced, straight or curved 0.4 mm tips.

JAWS	LENGTH	T
Straight	18 cm 7"	•
Straight	21 cm 8.25"	•
Curved	18 cm 7"	•
Curved	21 cm 8.25"	•
	Straight Straight Curved	Straight18 cm 7"Straight21 cm 8.25"Curved18 cm 7"



Art. Number: 117-B130-21-TI

-	STUE	17 SWEDEN CE 117-B120-18-TI	

STILLE 17 SWEDEN C

STILLE TITANIUM MICRO RING FORCEPS

Round handle, with fine ring tips, counter-balanced.

ART. NUMBER	RING TIPS	JAWS	LENGTH	T
117-B140-18-TI	1.0x0.5 mm	Straight	18 cm 7"	•
117-B140-21-TI	1.0x0.5 mm	Straight	21 cm 8.25"	٠
117-B140-23-TI	1.0x0.5 mm	Straight	23 cm 9"	٠



Art. Number: 117–B140–21–Tl

STILLE TITANIUM MICRO DEBAKEY FORCEPS

Round handle, with 1.2 mm fine atraumatic DeBakey tips.

ART. NUMBER	TIPS	JAWS	LENGTH
117-B160-18-TI	1.2 mm DeBakey	Straight	18 cm 7"
117-B160-21-TI	1.2 mm DeBakey	Straight	21 cm 8.25"



Art. Number: 117-B160-18-TI

LOCK WITHOUT RATCHET

ART. NUMBER

117-C110-15 117-C110-18 117-C110-21 117-C110-23 117-C111-15 117-C111-18 117-C111-21 117-C111-23

Art. Number: 117-C110-15

STILLE MICRO NEEDLE HOLDER REGULAR BOX LOCK WITH RATCHET

Round handle, fine 0.8 mm Diamond Jaws and Regular Box Lock for sutures 7-0 and smaller. With ratchet.

			E
ART. NUMBER	JAWS	LENGTH	
117-C120-15	Straight	15 cm 6"	•
117-C120-18	Straight	18 cm 7"	•
117-C120-21	Straight	21 cm 8.25"	•
117-C120-23	Straight	23 cm 9"	•
117-C121-15	Curved	15 cm 6"	•
117-C121-18	Curved	18 cm 7"	•
117-C121-21	Curved	21 cm 8.25"	•
117-C121-23	Curved	23 cm 9"	•

STILLE MICRO NEEDLE HOLDER REGULAR BOX

Round handle, fine 0.8 mm Diamond Jaws and Regular Box Lock for sutures 7-0 and smaller. Without ratchet.

JAWS	LENGTH	(
Straight	15 cm 6″	•
Straight	18 cm 7"	•
Straight	21 cm 8.25"	٠
Straight	23 cm 9"	•
Curved	15 cm 6"	•
Curved	18 cm 7″	•
Curved	21 cm 8.25"	•
Curved	23 cm 9"	•



€



Art. Number: 117-C121-18

STILLE MICRO NEEDLE HOLDER STREAMLINE BOX LOCK WITHOUT RATCHET

Round handle, 1.2 mm Diamond Jaws and Streamline Box Lock for sutures 5-0 and smaller. Without ratchet.

ART. NUMBER	JAWS	LENGTH	\bigcirc
117-C115-15	Straight	15 cm 6″	•
117-C115-18	Straight	18 cm 7″	٠
117-C115-21	Straight	21 cm 8.25"	٠
117-C115-23	Straight	23 cm 9"	٠
117-C116-15	Curved	15 cm 6″	٠
117-C116-18	Curved	18 cm 7″	•
117-C116-21	Curved	21 cm 8.25"	•
117-C116-23	Curved	23 cm 9"	•

Art. Number: 117-C115-15


STILLE MICRO NEEDLE HOLDER STREAMLINE **BOX LOCK WITH RATCHET**

Round handle, 1.2 mm Diamond Jaws and Streamline Box Lock for sutures 5-0 and smaller. With ratchet.

ART. NUMBER	JAWS	LENGTH	V
117-C125-15	Straight	15 cm 6"	•
117-C125-18	Straight	18 cm 7″	•
117-C125-21	Straight	21 cm 8.25"	٠
117-C125-23	Straight	23 cm 9"	٠
117-C126-15	Curved	15 cm 6"	•
117-C126-18	Curved	18 cm 7"	٠
117-C126-21	Curved	21 cm 8.25"	٠
117-C126-23	Curved	23 cm 9"	٠



Art. Number: 117-C125-15



An investment in a STILLE instrument is an investment that will last throughout your career.

- Dr. Jordan Deschamps-Braly, M.D. Plastic Surgeon

Extra heavy model for handling of larger needles with TC-inserts. Intended for 2/0 suture and finer.

	RATCHET	JAWS	LENGTH	TC
9	Without	Straight	19 cm 7.5"	•
23	Without	Straight	23 cm 9″	٠
25	Without	Straight	25 cm 10"	•
9	With	Straight	19 cm 7.5"	٠
23	With	Straight	23 cm 9″	٠
25	With	Straight	25 cm 10"	٠

STILLE TITANIUM MICRO NEEDLE HOLDER **REGULAR BOX LOCK**

Round handle, fine 0.8 mm Diamond Jaws and Regular Box Lock for sutures 7-0 and smaller. With or without ratchet.

ART. NUMBER	RATCHET	JAWS	LENGTH	T
117-C110-18-TI	Without	Straight	18 cm 7"	•
117-C110-21-TI	Without	Straight	21 cm 8.25"	•
117-C110-23-TI	Without	Straight	23 cm 9"	•
117-C111-15-TI	Without	Curved	15 cm 6"	•
117-C111-18-TI	Without	Curved	18 cm 7"	•
117-C111-21-TI	Without	Curved	21 cm 8.25"	•
117-C120-18-TI	With	Straight	18 cm 7"	•
117-C120-21-TI	With	Straight	21 cm 8.25"	•
117-C120-23-TI	With	Straight	23 cm 9"	•
117-C121-18-TI	With	Curved	18 cm 7"	•
117-C121-21-TI	With	Curved	21 cm 8.25"	•
117-C121-23-TI	With	Curved	23 cm 9"	•

STILLE TITANIUM MICRO NEEDLE HOLDER STREAMLINE BOX LOCK

Round handle, 1.2 mm Diamond Jaws and Streamline Box Lock for sutures 5-0 and smaller. With or without ratchet.

ART. NUMBER	RATCHET	JAWS	LENGTH	1
117-C115-18-TI	Without	Straight	18 cm 7"	
117-C115-21-TI	Without	Straight	21 cm 8.25"	
117-C115-23-TI	Without	Straight	23 cm 9"	
117-C125-18-TI	With	Straight	18 cm 7″	
117-C125-21-TI	With	Straight	21 cm 8.25"	
117-C125-23-TI	With	Straight	23 cm 9"	
117-C126-18-TI	With	Curved	18 cm 7"	
117-C126-21-TI	With	Curved	21 cm 8.25"	
117-C126-23-TI	With	Curved	23 cm 9"	



1

My patients deserve the best and STILLE is the natural me to perform at my best

- Dr. Mark L. Jewell, M.D. Plastic Surgeon

Art. Number: 117-C110-18-TI

instrument choice which enables





Surgical perfection. For life.



STILLE AB

Ekbacken 11 SE-644 30 Torshälla, Sweden ↓ +46 8 588 580 00 ⊠ info@stille.se ⊕ www.stille.se

STILLE SURGICAL INC.

840 Parkview Blvd Lombard, IL 60148 United States Phone: 1.800.6651614 **DISTRIBUTED BY:**